

CATALOGUE 2018

CAMPER VAN ACCESSORIES

THE LARGE ACCESSORY RANGE FOR VANS



Mobile living made easy.


 **DOMETIC**



CLIMATE

Do you love travelling in sunny weather? Enjoy your journey and the perfect climate in your motorhome or caravan. Dometic air conditioners make sure you can.

PAGE 4 – 25



SAFETY & SECURITY

Sit back and relax. Dometic accessories let you enjoy the most precious weeks of the year in complete comfort and safety.

PAGE 36 – 43



FOOD & BEVERAGE

Cook what you like, eat with friends, keep your provisions nice and fresh throughout the journey. We have taken care of every detail.

PAGE 26 – 33

CLIMATE

Air Conditioners	4 – 7
Awnings	8 – 17
Windows	18 – 25

FOOD & BEVERAGE

Cooking	26 – 27
Cooling Boxes	28 – 29
Refrigeration	30 – 33

HYGIENE & SANITATION

Cleaning	34
Sanitation	35

SAFETY & SECURITY

Driving Support	36 – 43
Safety Solutions	41



HYGIENE & SANITATION

Enjoy a pleasant feeling of freshness on board wherever the road takes you. Reap the benefits of our decades of research into mobile sanitation systems.

PAGE 34 – 35

DOMETIC ON THE WEB

Here's where you can find the complete Dometic range, with detailed information about all products. Plus, interesting facts about our company and download links for all our catalogues.

DOMETIC.COM



DOMETIC FRESHJET

Vehicles of any size can be air conditioned with the successful FreshJet series, which includes four models in the series. These three FreshJets are the smallest air conditioners on the market. The power versions shown here have the same ultra-compact design, which still leaves space for solar panels or a satellite dish on the roof or even for a second FreshJet if you need separate air conditioning areas. Very low starting currents with FreshJet 1100/1700 and soft-start with the 2200 model ensure that the units run smoothly even on campsites with low electrical protection.

- Compact design and lightweight
- Pleasantly cool, dehumidified air
- FreshJet 1700/2200, also with heat function
- Very low starting currents, FreshJet 2200 with soft-start
- Three power versions for vehicles from < 5 m to < 7 m long
- Ideal as a duo for creating separate air conditioning zones in larger vehicles
- Accessory kits can be used for operation even while driving (12 or 24 volts DC)



DOMETIC FRESHJET 1100

Ideal for vehicles of up to max. 5 m.
Also works as two-zone air conditioning in vehicles of > 5 m.

- Cooling capacity: 1000 watts / 3400 Btu/h
- Consumption in cooling mode: 430 watts
- Can also be used while driving with optional DC kits
- Air conditioner including air distribution box
- Pleasantly cool, dehumidified air

Ref. No. 910530621



DOMETIC FRESHJET 1700

Ideal for vehicles of up to max. 6 m.
Also works as two-zone air conditioning in vehicles of > 6 m.

- Cooling capacity: 1700 watts / 5800 Btu/h
- Heating capacity: 800 watts
- Consumption in cooling mode: 620 watts
- Can also be used while driving with optional DC kits
- Air conditioner including air distribution box
- Pleasantly cool, dehumidified air
- With heat function

Ref. No. 910530622



With
soft-start

DOMETIC FRESHJET 2200

Ideal for vehicles of up to max. 7 m.
Also works as two-zone air conditioning in vehicles of > 7 m.

- Cooling capacity: 2200 watts / 7500 Btu/h
- Heating capacity: 1200 watts
- Consumption in cooling mode: 950 watts
- Can also be used while driving with optional DC kits
- Air conditioner including air distribution box
- Pleasantly cool, dehumidified air
- With heat function
- Soft-start – easy start-up even with low electrical protection



Ref. No. 9105306240



Perfect
installation
result with
adapter
frame

FRESHJET ADAPTER FRAME

A perfect fit for Fiat Ducato.

Do you have worries that the roof beading of your Fiat Ducato will make installation of a FreshJet air conditioner impossible? We've got a solution for you: the custom-designed adapter frame compensates the roof beading of your Fiat Ducato, so you will have a level surface for safe installation of a FreshJet air conditioner. As you see, Dometic has a matching solution to everything!

Ref. No. 9104114007

DOMETIC AIR DISTRIBUTION BOX

The air distribution box was conceived using the latest knowledge in fluid dynamics and is included in all FreshJet models.

- Outstanding design
- Optimized air distribution in two directions – powerful cooling effect
- Dimmable LED lighting
- Easy maintenance (magnetic fastening)



Including
remote control



Included in
all FreshJet
models



The direction of the air flows can be individually adjusted: to the left or right, towards the ceiling or flooring



All functions can be controlled by remote control. Moreover, on the control panel the FreshJet and the lights can be turned ON/OFF



The surrounding LED striplight can be dimmed using the remote control or the control panel

FRESHLIGHT AIR CONDITIONER AND WINDOW

THE UNIQUE COMBINATION OF AN AIR CONDITIONER AND WINDOW

For these innovative air conditioners, there's no need to sacrifice the roof window – quite the contrary. With Dometic FreshLight, the window is already built into the air conditioning unit and the result is perfect temperatures on board a caravan or motorhome with natural light still coming from above. Available in two performance categories.

The window lets natural light stream into the vehicle



WITH INTEGRATED ROOFLIGHT

ACTIVE VENTILATION SYSTEM

ENERGY-EFFICIENT




A patented distribution system steers cool, dehumidified air in the required direction without dust and dirt.



In the active ventilation mode, stale air is drawn powerfully out of the room. Fast air circulation guaranteed!



Two LEDs with dimmers are built into the air diffuser unit and ensure pleasant lighting.



Incl. remote control

DOMETIC FRESHLIGHT 1600

Roof air conditioner with roof window for vehicle lengths of up to 6 m

The world's first roof air conditioner with integrated rooflight, ensuring ideal temperatures without compromising on natural light from above. Suitable for vehicles up to 6 m in length.

- Roof air conditioners with roof window, for vehicle up to 6 m
- Cooling capacity: 1550 W/5300 BTU/h
- Temperature and blower speed can be conveniently set by remote control
- Control panel with integrated, dimmable LED lights
- Individual air flow regulation with automatic blower control
- Energy-efficient cooling mode and heat pump system for heating mode
- Roof window with active ventilation system and single-pleated darkening screen

Ref. No. 9102900207

Available
in two power
levels!



Incl. remote control

DOMETIC FRESHLIGHT 2200

Roof air conditioner with roof window for vehicle lengths of up to 7 m

The world's first roof air conditioner with integrated rooflight, ensuring ideal temperatures without compromising on natural light from above. Suitable for vehicles up to 7 m in length.

- Roof air conditioners with roof window, for vehicle up to 7 m
- Cooling capacity: 2200 W/7500 BTU/h
- Temperature and blower speed can be conveniently set by remote control
- Control panel with integrated, dimmable LED lights
- Individual air flow regulation with automatic blower control
- Energy-efficient cooling mode and heat pump system for heating mode
- Roof window with active ventilation system and single-pleated darkening screen

Ref. No. 9102900165



DOMETIC FRESHLIGHT FL-PC

Protective cover for FreshLight 1600 and 2200

Weather-resistant cover for protecting FreshLight roof air conditioners.

Ref. No. 9103500237

COOLING WHILE YOU DRIVE DC KIT 2 / 3 (OPTIONAL EXTRA)

Arrive cool and calm – the high-quality DC Kits enable air conditioning operation even while you drive (12 or 24 volts DC).

DC-Kit 2 / 12 V / Ref. No. 9600007287

DC-Kit 3 / 24 V / Ref. No. 9600007287

For technical data see p. 29



PERFECTROOF PR 2000 FIAT DUCATO AWNING PACKAGE

FITS FIAT DUCATO, PEUGEOT BOXER AND CITROËN JUMPER

Tailor-made for Fiat Ducato and the sister models Peugeot Boxer and Citroën Jumper: this complete solution from Dometic takes all special features of these popular panel vans into account. Its core component is the compact roof awning PerfectRoof PR 2000, available in lengths of 3.75 and 4 metres. Additionally, the package

includes an adapter for roof mounting as well as a telescopic crank for manual retraction and extension of the awning. The foam tape supplied with each unit prevents water from entering the vehicle through the sliding door construction.




BENEFITS OF PR 2000 FIAT DUCATO

- Adjustable inclination angle – awning extends with the sliding door open
- Small and compact housing
- Lightweight

Scope of delivery:


- PerfectRoof PR 2000 roof awning
- Telescopic crank
- Vehicle-specific three-piece adapter
- Foam strip, 4 m

Length (m)	Extension (m)	Weight (kg)	Colours	Ref. No.
3.25	2.50	24.0	white silver anthracite	9103104099 9103104097 9103104096
3.75	2.50	27.0	white silver anthracite	9103104100 9103104128 9103104098
4.00	2.50	28.0	white silver anthracite	9103104104 9103104129 9103104102



OPTIMISED DESIGN

Compact and lightweight housing



PATENTED EASY LOCK

For hassle-free and safe fastening of the support legs




TELESCOPIC CRANK

For manual operation of the very smooth running gear




CLOTH COLOURS

The awning cloth is made from hard-wearing vinyl material with a transparent acrylic coating.



HOUSING COLOURS

The Dometic PerfectRoof PR 2000 awning for Fiat Ducato is available in three housing colours.





PERFECTROOF PR 4500

12-VOLT SELF SUPPORTING ROOF AWNING

A touch of a button is enough to extend the Dometic PerfectRoof PR 4500. It's worth it, even for short stops on the journey. This awning does its job without requiring any support legs; it uses a heavy-duty, patented arm joint instead. The benefit: complete freedom of mobility, all of the space under the awning roof can be used! If you want to secure the awning with support legs when the

power supply is off, you can use the Dometic WeatherKit included in the set.

The PR 4500 is suitable for almost all vehicles that allow roof mounting. It is a perfect choice for tall vehicles too, because there's no need to turn a crank handle.



REMOTE CONTROL

At the touch of a button: Shade within seconds

BENEFITS OF PR 4500

- Ready for immediate use – simply extend and relax
- No support legs – all of the space in front of the vehicle can be used
- Integrated high-performance 12-volt motor with minimal energy consumption
- Adjustable inclination angle
- Extremely heavy-duty, patented arm joints
- Back impulse – Tensions the cloth directly after being extended.
- Lengths up to 5.0 m, extension up to 2.5 m
- Integrated wind sensor
- Dometic WeatherKit included as standard



FULL-LENGTH INSTALLATION RAIL

Easy assembly and extra stability

Length (m)	Extension (m)	Weight (kg)	Colours	Cloth Colours / Ref. No.	
				horizon grey	horizon blue
2.60	1.75	27.5	white	9103104061	9103104064
			silver	9103104062	9103104065
			anthracite	9103104060	9103104063
3.12	2.25	31.0	white	9103104067	9103104070
			silver	9103104068	9103104071
			anthracite	9103104066	9103104069
3.69	2.50	33.8	white	9103104073	9103104076
			silver	9103104074	9103104077
			anthracite	9103104072	9103104075
4.04	2.50	37.0	white	9103104079	9103104082
			silver	9103104080	9103104083
			anthracite	9103104078	9103104081
4.77	2.50	48.5	white	9103104085	9103104088
			silver	9103104086	9103104089
			anthracite	9103104084	9103104087
5.04	2.50	50.5	white	9103104091	9103104094
			silver	9103104092	9103104095
			anthracite	9103104090	9103104093



WIND SENSOR

Retracts the awning automatically when the wind gets stronger, protecting it from damage



PATENTED ARM JOINT

Extremely heavy-duty, key to the comfortable use without support legs


ADAPTER

Length (m)	Ref. No.				
	2.6	3.12	3.69	4.04	4.77
MERCEDES SPRINTER	9103501098	9103501099	–	9103501100	9103501101
DUCATO H2	–	9103500868	9103500869	9103500870	



CLOTH COLOURS

The awning cloth is made from hard-wearing vinyl material with a transparent acrylic coating.



HOUSING COLOURS

The Dometic PerfectRoof PR 4500 awning is available in three housing colours.



WEATHERKIT

Included as standard



PERFECTWALL PW 1000 VW T5/T6 AWNING PACKAGE

COMPLETE WITH MATCHING WALL ADAPTER

A ready-to-fit solution for VW T5/T6 California and Multivan: the Dometic PerfectWall PW 1000 awning package was designed for easy installation on these popular campervan models. In addition to the awning in the matching length of 2.6 metres, the set includes a telescopic crank and an adapter for neat wall mounting.

Otherwise, the PW 1000 awning provides all important Dometic features at a truly attractive price. Here again, you will get the strong, one-piece awning cloth without any welding seams, the automatic adjusting inclination angle of the front rail, the convenient access to the support legs which are prevented from dropping by the patented Easy Lock Flipper.



Custom fit –
favourable
package price

BENEFITS OF PW 1000

Perfect fit: Complete awning assembly kit for VW T5/T6 California and Multivan

- Compact awning housing
- Plastic end caps
- Patented front rail system guarantees a 100 % tight closing housing
- High-quality awning cloth made of one piece – no welding seam
- Support legs with patented Easy Lock Flipper – no accidental dropping possible

Scope of delivery:

- PerfectWall PW 1000 wall awning
- Fixed crank
- Vehicle-specific adapter

CALIFORNIA				Cloth Colour / Ref. No.
Length (m)	Extension (m)	Weight (kg)	Colours	horizon grey
2.60	2.0	20.0	white silver anthracite	9103104132 9103104133 9103104134
MULTIVAN				Cloth Colour / Ref. No.
Length (m)	Extension (m)	Weight (kg)	Colours	horizon grey
2.60	2.0	20.0	white silver anthracite	9103104135 9103104136 9103104137
3.00	2.0	23.0	anthracite	9103104192




PATENTED EASY LOCK

For hassle-free and safe fastening of the support legs



TELESCOPIC CRANK

For manual operation of the very smooth running gear



CLOTH COLOURS

The awning cloth is made from hard-wearing vinyl material with a transparent acrylic coating.

HOUSING COLOURS

The Dometic PerfectRoof PW 1000 awning is available in three housing colours.



EASY TO FIT AWNING TENT FOR AWNINGS WITH SUPPORT LEGS

Dometic CampRoom creates an additional roofed area, and is extremely quick and easy to install too. It can be set up by one person without any problems. All windows have zip closures and come standard with mosquito screens, PVC windows and curtains, so the "camp room" can also be used as sleeping space. If you cover the underside of the vehicle with a standard supplied skirt you will get a completely waterproof and wind-breaking construction. The CampRoom is composed of 2 packages; one for the Front including the skirt, pegs, necessary robes and storage bag and one for both Side panels, including the clamp profiles, pegs, necessary robes and a storage bag.



DOMETIC CAMPROOM SIDE PANELS PR

	Extension (m)	Height (m)	Colour grey
Special Van sides H2*	2.50	–	9103103940

* For Fiat Ducato H2, Peugeot Boxer H2, Citroen Jumper H2, Mercedes Sprinter H2 and Volkswagen Crafter H2

DOMETIC CAMPROOM FRONT

Length (m)	Extension (m)	Colour grey
3.25	2.50	9103103925
3.50	2.50	9103103926
3.75	2.50	9103103927
4.00	2.50	9103103928

DIMENSIONS SIDE PANELS

Model	Height (m)	Extension (m)
Special Van sides H2*	–	2.50

CAMPROOM

The waterproof and wind-breaking awning tent. Simple and quick installation, only 15 – 20 minutes for one person. The front panel simply slides into the lead track of the front rail, the side panels are attached with a clamping profile.



SUN & RAIN PROTECT EXTRA PROTECTION AGAINST SUN, RAIN AND WIND

- Panoramic window
- Protects against rain and wind down to the ground
- Simply tighten with ladder band
- Can be modulated with wind protection skirt
- Simple setup
- Can be used left and right
- Supplied with the necessary tension rafter, ropes and pegs

SUNPROTECT SIDE

Size	For awning extension (m)	Height (m)	Ref. No.
SMALL	2.50	2.00 – 2.29	9103103950
MEDIUM	2.50	2.30 – 2.59	9103103951

RAINPROTECT DE LUXE SIDE

Size	For awning extension (m)	Height (m)	Ref. No.
SMALL	2.50	2.00 – 2.29	9103103967
MEDIUM	2.50	2.30 – 2.59	9103103968

SUNPROTECT FRONT

For awning width (m)	Extension (m)	Ref. No.
2.60	1.40	9103103941
3.00	1.40	9103103942
3.50	1.40	9103103943
3.75	1.40	9103103944
4.00	1.40	9103103945
4.50	1.40	9103103946

RAINPROTECT FRONT

For awning width (m)	Extension (m)	Ref. No.
2.60	1.40	9103103954
3.00	1.40	9103103955
3.50	1.40	9103103956
3.75	1.40	9103103957
4.00	1.40	9103103958
4.50	1.40	9103103959



ACCESSORIES MAKE MORE OF YOUR AWNING

You are happy with your awning, but there are still some minor things you'd like to add? Check out our accessories and add the finishing touch! From LED lights to secure fastening straps and a highly effective special cleaner – it's all there.



DOMETIC LIGHT LK 120

LED light kit for awnings, energy-saving light to be fitted under the retractable arm of the awning. Can be combined with PR 4500

- Input voltage: 12 volts DC
- Flex strip with 60 SMD diodes per metre, can be cut every 5 cm, self-adhesive, adheres also to uneven surfaces
- Length: 2 x 1.20 m (flex strip)
- Bulbs: SMD LED / light colour: warm white
- Power rating: 4.8 watts/m
- Illumination level: 240 lm/m
- Convenient operation using hand-held transmitter
- Dimming function

Ref. No. 9106504018



LED LIGHT

The underside of the awning can be fitted with a 12-volt LED light strip. The LED strip can be glued or fixed with an aluminium profile (for wall awnings only).

LED strip, 3.50 / Ref. No. 9103103988

LED strip with aluminium profile, white, 3.50 / Ref. No. 9103103990

LED strip with aluminium profile, silver, 3.50 / Ref. No. 9103103992



DOMETIC AWNING CLEANER

- Quickly removes even the most persistent dirt
- Eliminates bad odours
- Content: 500 ml

Ref. No. 9600000165



DOMETIC TIEDOWN KIT

Strap kit for safe ground anchoring of Dometic awnings with support legs

- Adjustable straps with solid plastic clasps
- Easy tie-down and a firm hold
- Coil springs relieve the strain on the awning in wind

Ref. No. 9103104000



Integrated
LED light strip



DOMETIC RAINTEC RT 100

Illuminated rain gutter for Fiat Ducato sliding doors. Prevents rainwater from getting in when the door is open and works as an exterior light at the same time. Aluminium profile with integrated LED light strip.

- Input voltage: 8 – 16 volts
- Power rating: 4.8 watts
- W x H x D: 1500 x 32 x 16 mm
- Lamps: SMD LED diodes (Energy class A)
- Material: aluminium
- Light colour: 3150 K (warm white)
- Energy consumption in 1,000 hours: 7 kWh
- Luminous flux: 435 lumen
- Service life: 50,000 h
- Weight: approx 480 g

Jet black / Ref. No. 9106505301

Fiat white / Ref. No. 9106505302

Optional accessory

Remote control / Ref. No. 9106504080



DOMETIC MICRO HEKI 280 X 280

For motorhomes and caravans. This ultra-compact roof light was specially designed for the bathroom area. It fits into a roof opening of 280 x 280 mm and can be opened and closed with a hand-lever system.

- Inner frame with fly screen (can be adjusted separately) and optional darkening
- With or without forced ventilation
- Maximum opening angle: 50°
- Double acrylic glazing, tinted on the outside
- Lockable vent position
- For roof thicknesses of 23 to 42 mm

With forced ventilation, with flyscreen

Ref. No. 9104117434

Without forced ventilation, with flyscreen

Ref. No. 9104117435

With forced ventilation, with flyscreen and darkening screen / Ref. No. 9104117679

Without forced ventilation, with flyscreen and darkening screen / Ref. No. 9104117680

DOMETIC MICRO HEKI

Long awaited and here at last: a roof light for the bathroom! Designed for a roof opening of 280 x 280 mm, Micro Heki is the smallest roof light in the Dometic range. Its features, however, leave nothing to be desired. The elegant inner frame integrates a single-pleated optional darkening blind and a fly screen, which can be adjusted separately as required. You can play with shade and light, let fresh air in and keep insects out and your your smallest room on board will always be well ventilated, dry and neat.

Micro Heki comes with a double-glazed roof dome, which is tinted on the outside and opens in two steps up to a maximum angle of 50°. A special locking device keeps the opened window firmly in place.



SAFELY LOCKED IN PLACE

The glass dome is safely locked, so it won't slam down when the wind blows.



PRIVACY AND FRESH AIR

The pleated darkening blind smoothly slides to any position



BLIND PLUS FLY SCREEN

Can be adjusted separately to suit the situation at hand

For standard
roof openings
400 x 400 mm



DOMETIC MINI HEKI STYLE

For motorhomes and caravans. This small roof light fits neatly into the roof opening for the standard size of 400 x 400 mm and provides maximum light. The opening angle is determined by the hand-lever system.

- Inner frame with darkening and fly screen (can be adjusted separately)
- Available with or without forced ventilation
- Maximum opening angle: 50°
- Double acrylic glazing
- Three positions
- For roof thicknesses of 25 to 60 mm

With forced ventilation, roof thickness
25 to 42 mm / Ref. No. 9104116244

With forced ventilation, roof thickness
43 to 60 mm / Ref. No. 9104116245

Without forced ventilation, roof thickness
25 to 42 mm / Ref. No. 9104116242

Without forced ventilation, roof thickness
43 to 60 mm / Ref. No. 9104116243

MINI HEKI STYLE

Every vehicle instantly seems so much more inviting! Despite its compact standard sizes, Mini Heki Style provides the optimum amount of light. It features an aerodynamically shaped glass dome with a slightly tinted double glazing. The roof light can be opened to three different positions (incl. poor weather position) with a handy lever. For extra comfort and convenience, it comes standard with a single-pleated darkening blind and a fly screen.

- Opening dimensions 400 x 400 mm
- Inner frame with darkening and fly screen
- Easy to operate using the lever system
- Spoilers to minimise noise available as an accessory

DOMETIC ADAPTER FRAMES

For hassle-free installation of Dometic roof lights on a trapezoidal sheet metal roof with a roof opening of 400 x 400 mm.

- Safe and neat installation
- Adapter frame gives a level surface

For Micro Heki / Ref. No. 9104116108

For Mini Heki Style / Ref. No. 9104114007



DOMETIC ROOF LIGHT MIDI HEKI

Open up your vehicle to fresh air and light! This well-insulated roof light boasts convenient features including a fly screen and hassle-free cleaning. This Dometic Midi Heki roof light features a dome with double acrylic glazing for insulation and a frame made of durable, weather-resistant ASA plastic. It can be conveniently opened to

three different positions. An inner frame with separately adjustable darkening blind and fly screen is included to keep sunlight and insects out. The Midi Heki is available as a crank or handle version, each with or without forced ventilation.



DOMETIC MIDI HEKI STYLE 700 X 500

This tilting roof window comes with a new glazing panel, which improves aerodynamics, reduces noise, keeps dirt out and makes cleaning easier. Its colour matches the design of most vehicle roofs.

- Dual-layer glazing dome – welded with the outer frame
- Opens to three positions: fully open, half-open, and bad-weather position
- Separately adjustable darkening and fly screens

Roof window with lever, with forced ventilation, 700 x 500 mm

Ref. No. 9104120057

Roof window with crank, with forced ventilation, 700 x 500 mm

Ref. No. 9104120059

Roof window with lever, without forced ventilation, 700 x 500 mm

Ref. No. 9104120058

Roof window with crank, without forced ventilation, 700 x 500 mm

Ref. No. 9104120060

Skylight spoiler for width up to 800 mm

Ref. No. 9104100236



DOMETIC ADAPTER FRAMES

For hassle-free installation of Dometic roof lights on a trapezoidal sheet metal roof with a roof opening of 700 x 500 mm.

- Safe and neat installation
- Adapter frame gives a level surface

For Midi Heki front / Ref. No. 9104116106

For Midi Heki back / Ref. No. 9104116107



DOMETIC ACRYLIC CLEANER

This cleaning agent (250 ml) for regular cleaning removes all types of dirt, even grease and nicotine film on windows. It prevents static build-up and dust accumulation without using a solvent.

Ref. No. 9600000129



DOMETIC ACRYLIC POLISH

The acrylic glass polish is ideal for windows showing signs of wear. It effectively removes clouding and light scratches. Contains no wax. Content: 75 ml.

Ref. No. 9600000128



DOMETIC SPECIAL POLISHING CLOTH

The perfect cloth for applying the acrylic-glazing polish. Extremely soft material for gentle and fluff-free cleaning. Hard-wearing and washable up to 40 °C.

Ref. No. 9600000130



DOMETIC WINDOW CLEANER SET

All three products are also available together as a cleaning kit.

Ref. No. 9600000132



DOMETIC S7P ALUMINIUM FRAME WINDOWS

Curvature radius of 5000 mm: the slightly curved outside makes Dometic S7P windows ideal for panel vans. Powder-coated aluminium profiles reduce the weight, guarantee excellent insulation and a high-grade surface finish. Their unique design, combined with a matching blind system, makes the aluminium windows a genuine alternative to polyurethane windows.



**FOR PANEL VANS WITH
CURVED OUTLINES**

**WITH
FRICTION HINGES**

**LIGHTWEIGHT ALUMINIUM
FRAME**

DOMETIC S7P WINDOWS

Hinged window



Size W x H (mm)	Overall size W x H (mm)	Space size W x H (mm)	Clearance dimension W x H (mm)	Weight (kg)	Ref. No.
280 x 380	308 x 408	280 x 380	230 x 330	2.9	9104116042
490 x 500	518 x 528	490 x 500	440 x 450	4.0	9104116041
560 x 465	588 x 493	560 x 465	510 x 415	4.5	9104116040
700 x 510	728 x 538	700 x 510	650 x 460	4.8	9104116039
750 x 465	778 x 493	750 x 465	700 x 415	4.8	9104116038
818 x 315	843 x 343	818 x 315	768 x 265	4.6	9104116037
960 x 450	988 x 478	960 x 450	910 x 400	5.6	9104116036
985 x 465	1013 x 493	985 x 465	935 x 415	6.1	9104116035

ACCESSORIES – PLEATED BLINDS FOR S7P WINDOW

The single pleated darkening screen and the fly screen can be clipped together and adjusted with one hand to any position.

Size W x H (mm)	Window size W x H (mm)	Colour	Ref. No.
233 x 352	280 x 380	creme	9104116029
443 x 472	490 x 500	creme	9104116030
513 x 437	560 x 465	creme	9104116018
653 x 482	700 x 510	creme	9104116019
703 x 437	750 x 465	creme	9104116020
771 x 287	818 x 315	creme	9104116021
913 x 422	960 x 450	creme	9104116022
938 x 437	985 x 465	creme	9104116044



FLY SCREEN

DARKENING

ACCESSORIES – FIXING KIT FOR S7P WINDOW

The fixing kits matching the various window sizes are indispensable installation accessories for S7P aluminium windows; they make installation very easy. Mounting brackets and screws for the existing wall thickness are included.

Wall thickness (mm)	Ref. No.
22 – 23	9104116094
24 – 25	9104116095
26 – 27	9104116096
28 – 29	9104116097
30 – 31	9104116098
32 – 33	9104116099
34 – 35	9104116100
36 – 37	9104116101
38 – 39	9104116102
40 – 41	9104116103
42 – 43	9104116104

DARKENING SCREENS FOR DRIVER'S CABINS

DOMETIC ROLLER BLINDS

For privacy in the cab then the high-quality Dometic darkening systems for windscreen and side windows give you complete privacy. The double-pleated Duette honeycomb material also provides excellent thermal insulation – heat as well as cold are kept out. The aluminium-coated Dometic windscreen roller blinds also

have excellent thermal insulation properties. Both screen variants are available for the Fiat Ducato and many more motorhome models of the same design.



DOMETIC FP 200

Darkening system for Fiat Ducato types X250 / X290 and Peugeot Boxer and Citroën Jumper of the same design (without roof carrier) Pleated blinds that open vertically to let light into the vehicle or darken the cabin completely as and when required. For windscreen and side windows.

- Double-pleated Duette honeycomb material for maximum thermal insulation and darkening effect
- Customised to fit Fiat Ducato models X250 and X290
- Best possible insulation and darkening in the lower section (dashboard) as well as in the upper section (end profile)
- Adjustable to any position required

Windscreen blind, beige / Ref. No. 9104116564

Side screens (left, right), beige / Ref. No. 9104113604

Windscreen blind + side screens in a set, beige / Ref. No. 9104116924


This product is not suitable for vehicles with folding beds, roof racks or optionally installed head airbags.



STOP MOSQUITOES, FLIES AND OTHER INSECTS – INSECT SCREENS FOR DOORS

Being close to nature has one drawback: insects in your mobile living room and bedroom can be a real nuisance. Which makes it best to take simple precautions and add a custom-fitted fly screen to the entrance. They are available now not only for standard doors, but also for the sliding doors featured by vehicles such

as Fiat Ducato H2 X250 / X290. All versions are easy to install. They reliably keep those annoying creatures outside while fresh air can still circulate in the vehicle.



DOMETIC FLYTEC FT 200

Single-pleated, high-quality fly screens suitable for sliding doors in the Fiat Ducato, type H2 X250 / X290, and vehicles with an identical design. It covers the door completely

- Reliably keeps out all types of insects
- Convenient one-hand operation
- Quick to install, simple to operate

For left hand drive vehicles / Ref. No. 9104117297

For right hand drive vehicles / Ref. No. 9104117296

ALL YOU NEED FOR COOKING, BAKING AND WASHING UP ON THE MOVE

Admittedly, kitchens in motorhomes, caravans and camper vans are far smaller than your kitchen at home, but they can be just as well-equipped. Dometic offers everything you need for a well functioning mobile kitchen. Choose from a wide range of cookers and ovens.

There's also a space-saving sink and a roadworthy cooker hood to draw cooking fumes, odours and moisture out of your vehicle.

DOMETIC MO9722R / MO9722L

2-burner hob / sink combination with glass lids

- Voltage: 12 volts DC (electric ignition)
- Output: 1 x 1.0 kW; 1 x 1.8 kW
- Gas consumption: 204 g/h
- Gas supply pressure: 30 mbar
- 2 heat-resistant safety glass lids, enamelled pan support, enamelled burner caps, safety ignition system, siphon AC 540, rubber seal, with hole for tap (Ø 39 mm)
- Weight: 6 kg
- Dimensions (W x H x D): 760 x 325 x 179 mm
- Built-in dimensions (W x D): 742 x 283 mm

MO9722R (sink on right) / Ref. No. 9102305075

MO9722L (sink on left) / Ref. No. 9102305076

Convenient and elegant



DOMETIC HSG 2370R / HSG 2370L

2-burner hob/sink combination with glass lids

- Output: 1 x 1.0 kW; 1 x 1.8 kW
- Gas consumption: 204 g/h
- Gas supply pressure: 30 mbar
- 2 heat-resistant safety glass lids, enamelled pan support, enamelled burner caps, Piezo ignition, safety ignition system, AC 540 siphon, rubber seal, with hole for tap (Ø 39 mm)
- Weight: 7 kg
- Dimensions (W x H x D): 900 x 152 x 370 mm
- Built-in dimensions (W x D): 793 x 307 mm

HSG 2370R (sink on right) / Ref. No. 9103301740

HSG 2370L (sink on left) / Ref. No. 9103301738

DOMETIC HBG 2335

2-burner hob with glass lid

- Output: 1 x 1.0 kW; 1 x 1.6 kW
- Gas consumption: 189 g/h
- Gas supply pressure: 30 mbar
- Heat-resistant safety glass lid, enamelled pan support, enamelled burner caps, safety ignition system
- Weight: 4 kg
- Dimensions (W x H x D): 460 x 80 x 335 mm
- Built-in dimensions (W x D): 440 x 315 mm

Ref. No. 9103301736

FANCY BAKING OR GRILLING? CHECK OUT OUR HOT SELLERS!

Cake or pizza, juicy roast or crispy chicken, grilled dishes ... create the most delicious meals when travelling with your built-in oven.

Adjusting the baking temperature and grill setting is easy and convenient. Pick the model you like and enjoy grilling and baking!



DOMETIC OG 3000

Oven with grill

- Voltage: 12 volts DC (electric ignition)
- Output: 1.2 kW (oven), 1.6 kW (grill)
- Gas consumption: 87 g/h (oven), 116 g/h (grill)
- Gas supply pressure: 30 mbar
- Oven capacity: 30 litres
- Thermostat, interior light, electronic 12-volt ignition, safety ignition system, grill, bottom-hinged door, chimney connection, rotary plate, multi-layered glass door with safety locking, rack and baking tray all included
- Weight: 19.45 kg
- Dimensions (W x H x D): 530 x 430 x 415 mm
- Built-in dimensions (W x H x D): 500 x 410 x 460 mm

Ref. No. 9103303709



DOMETIC OG 2000

Oven with grill

- Voltage: 12 volts DC (electric ignition)
- Output: 1.2 kW (oven), 1.6 kW (grill)
- Gas consumption: 87 g/h (oven), 116 g/h (grill)
- Gas supply pressure: 30 mbar
- Oven capacity: 20 litres
- Thermostat, interior light, electronic 12-volt ignition, safety ignition system, grill, bottom-hinged door, chimney connection, rotary plate, multi-layered glass door with safety locking
- Weight: 13.2 kg
- Dimensions (W x H x D): 530 x 310 x 410 mm
- Built-in dimensions (W x H x D): 504 x 283 x 460 mm

Ref. No. 9103303710



DOMETIC CK 2000*

Air recirculation cooker hood with replaceable activated carbon filter

- Voltage: 12 volts DC
- Capacity: 38/45 m³/h
- Power input: 5 watts
- 2-level fan, 2 integrated halogen bulbs (2 x 10 watts/12 volts, GU4), 2 lighting levels (energy efficiency class C, energy consumption in 1000 hours: 20 kWh) washable metal grease filter, replaceable activated carbon filter
- Weight: 2.2 kg
- Dimensions (W x H x D): 400 x 56 x 280 mm

Ref. No. 9107300002

Activated carbon filter (pack of 2) Ref. No. 9107300007

* The cooker hood is designed for use in leisure accommodation vehicles and not for use in homes.



DOMETIC VA928 / VA929

Round sink

- Dimensions (Ø x H):
400 x 130 mm (VA928)
400 x 45 mm (VA929)
- Installation dimension: 366 mm

VA928 / Ref. No. 9102300051

VA929 / Ref. No. 9102300057



DOMETIC STAINLESS STEEL CLEANER

- Ideal for Dometic hobs and sinks
- Easily removes fat and grease
- Streak-free shine
- Content: 500 ml

Ref. No. 9600000149



DOMETIC OVEN & BBQ CLEANER

- Effectively removes burnt-on food or grease
- Gel cleaner – holds vertically
- Neutral odour and gentle cleaning
- Content: 500 ml

Ref. No. 9600000159



Danger – Causes skin irritation. Causes serious eye damage.



DOMETIC COOLFREEZE CFX 28

Cooler and freezer with CFX special electronics, 12/24 volts DC and 100–240 volts AC

- Storage volume: approx. 26 litres (including 3.5 litre crisper)
- Refrigeration from +10 °C to –22 °C
- Dimensions (W x H x D): 620 x 425 x 342 mm
- Energy class: A++

Ref. No. 9600000468



DOMETIC FIXING KIT FOR CFX 28

For fastening of Dometic CoolFreeze CFX 28 in vehicles

- Quick release mechanism for easy removal of the cooler
- Stainless steel adapter feet screw into threaded bush in base of fridge

Ref. No. 9600000166



DOMETIC COOLFREEZE CF 16

Cooler and freezer, 12/24 volts DC and 100 – 240 volts AC

- Storage volume: approx. 15 litres
- Refrigeration from +10 °C to –18 °C
- Dimensions (W x H x D): 549.5 x 366.9 x 260 mm
- Energy class: A++

Ref. No. 9600000465




DOMETIC COOLFREEZE CF 26

Cooler and freezer, 12/24 volts DC and 100 – 240 volts AC

- Storage volume: approx. 21.5 litres (including 4-litre crisper)
- Refrigeration from +10 °C to –18 °C
- Dimensions (W x H x D): 550 x 425 x 260 mm
- Energy class: A++

Ref. No. 9600000466



UNIVERSAL FIXING KIT

For fastening of Dometic CoolFreeze coolers in vehicles.
For CF 16 and CF 26

Ref. No. 9105303708



DOMETIC MULTI-PURPOSE CLEANER

- Antibacterial bio-alcohol
- Spray cleaner – ideal for vertical surfaces
- Also for refrigerators (eliminates minor ice build-up)
- Content: 500 ml

Ref. No. 9600000142



Warning – Flammable liquid and vapour. Causes serious eye irritation

COOLMATIC CRX THE 3-IN-1 REFRIGERATORS

The compressor refrigerators in the CoolMatic CRX series are ingenious quick change artists. Their trick is no secret, but a patented Dometic invention. The freezer compartment can simply be pulled out to make room for a larger fridge or freezer. The desired temperature is set on the soft touch control panel which is mounted flush in the inner wall and elegantly integrates the LED light. There's smart electronics behind it: the system regulates the compressor speed therefore achieving energy savings of up to 25 %.



Removable
freezer
compartment



DOMETIC COOLMATIC CRX 50 / CRX 50S

Compressor refrigerator, 12 / 24 volts DC

- Storage volume: approx. 45 litres, including 4.4 litres freezer compartment
- Weight: 17 kg
- Dimensions (WxHxD): 380 x 534 x 500 mm

CRX 50 / Ref. No. 9105306565
CRX 50S / Ref. No. 9105306566



DOMETIC COOLMATIC CRX 65 / CRX 65S

Compressor refrigerator, 12 / 24 volts DC

- Storage volume: approx. 57 litres, including 7 litres freezer compartment
- Weight: 19 kg
- Dimensions (WxHxD): 448 x 525 x 545 mm

CRX 65 / Ref. No. 9105306568
CRX 65S / Ref. No. 9105306569



DOMETIC COOLMATIC CRX 80 / CRX 80S

Compressor refrigerator, 12 / 24 volts DC

- Storage volume: approx. 78 litres, including 7.5 litres freezer compartment
- Weight: 21 kg
- Dimensions (WxHxD): 475 x 640 x 528 mm

CRX 80 / Ref. No. 9105306570
CRX 80S / Ref. No. 9105306571



DOMETIC COOLMATIC CRP 40 / CRP 40S

Compressor refrigerator, 12 / 24 volts DC

- Storage volume: approx. 39 litres, including 5.3 litres freezer compartment
- Weight: 18 kg
- Dimensions (WxHxD): 380 x 536 x 545 mm
- 1.5 m supply cable

CRP 40 / Ref. No. 9105204440
CRP 40S / Ref. No. 9105204441

COMPRESSOR POWER IN ABSORPTION DIMENSIONS

If you are thinking of replacing your absorption fridge with a compressor fridge, then having a look at these two proven models is recommended. In terms of dimensions, the CoolMatic MDC 65 and MDC 90 match those of two of the most common absorption refrigerators and will occupy the space which these leave behind

perfectly. Replacing them has never been easier, the décor panel can be replaced with your own if desired and the door hinges and locks can be fitted either right or left. For the MDC 90 the ventilation panel is included, for the MDC 65 it must be ordered separately.



DOMETIC COOLMATIC MDC 65

Compressor refrigerator, 64 l

With its patented double lock and vent system this 64 l fridge freezer is also suitable for solar power. Use the sun to keep your food and drink cool!

- Patented double lock with vent option
- Suitable for solar power
- Flexible positioning of hinges and lock on the left or right side
- 64 l capacity with a separate 10 l freezer compartment
- Interior light
- 12 or 24 V DC

Ref. No. 9105204442



DOMETIC COOLMATIC MDC 90

Compressor refrigerator, 90 l

With its patented double lock and vent system this 90 l fridge freezer is also suitable for solar power. Use the sun to keep your food and drink cool!

- Patented double lock with vent option
- Suitable for solar power
- Flexible positioning of hinges and lock on the left or right side
- 90 l capacity with a separate 10 l freezer compartment
- Interior light
- 12 or 24 V DC

Ref. No. 9105204444



The vent allows hot air to be removed and promotes efficient cooling performance.



Vary the temperature as you wish and use energy efficiently.



The fridge's light helps you to find what you're looking for.

DOMETIC RMV 5305 – DESIGNED FOR VANS – WITH 8-SERIES FEATURES



DOMETIC RMV 5305

with Automatic Energy Selector (AES)

Absorption refrigerator – single-door model

- Width 486 mm
- Gross capacity: with freezer compartment 80 litres (8 litres freezer)
- Cooling capacity: refrigerator +7 °C, freezer compartment down to -12 °C at ambient temperatures up to 32 °C (corresponds to climate class SN)



12 V



230 V



GAS



SILENT

TOP-LOADING FRIDGES



SOLAR OPERATION



12/24 V



SOLAR OPERATION



12/24 V

DOMETIC COOLMATIC CB 36

Built-in compressor refrigerator, 12 / 24 volts DC

- Storage volume: approx. 36 litres
- Detachable cooling unit (1.5 m supply cable)
- Temperature range: +10 °C to -12 °C
- Dimensions (W x H x D): 620 x 445 x 460 mm (incl. cooling unit)

Ref. No. 9105204434

DOMETIC COOLMATIC CB 40

Built-in compressor refrigerator, 12 / 24 volts DC


- Storage volume: approx. 40 litres
- Detachable cooling unit (1.5 m supply cable)
- Temperature range: +10 °C to -12 °C
- Dimensions (W x H x D): 500 x 660 x 340 mm (incl. cooling unit)

Ref. No. 9105204435

PULL-OUT FRIDGES

WITH REMOVABLE FREEZER COMPARTMENT

Who doesn't appreciate seeing their food and provisions smoothly sliding out towards them? Our drawer fridges have a convenient way of letting you keep track of what you have. Bottles are firmly secured with a bracket. The removable freezer compartment makes room for more refrigeration if required. Both drawer fridges are available in two versions: with a stainless steel front panel or in matt silver. The perfect cooling solution, particularly for smaller vehicles.



CLIMATE

FOOD & BEVERAGE

HYGIE & SANITATION

SAFETY & SECURITY



DOMETIC COOLMATIC CRD 50 / CRD 50S

Pull out fridge and freezer, 12 / 24 volts DC

- Storage volume: approx. 38.5 litres, freezer compartment: approx. 6 litres
- Weight: 17 / 18 kg
- Power consumption: 1.5 Ah/h at +25 °C ambient temperature, 1.8 Ah/h at +32 °C ambient temperature, both at +5 °C interior temperature

CRD 50, stainless steel look front panel / Ref. No. 9105306581
 CRD 50S, stainless steel panel / Ref. No. 9105306582



NEW! DOMETIC COOLMATIC CRX 65D / CRX 65DS

Pull out fridge and freezer, 12 / 24 volts DC

- Storage volume: approx. 57 litres, freezer compartment: approx. 7 litres
- Weight: 20 / 21 kg
- Power consumption: 1.5 Ah/h at +25 °C ambient temperature, 1.8 Ah/h at +32 °C ambient temperature, both at +5 °C interior temperature

CRX 65D, stainless steel look front panel / Ref. No. 9105306540
 CRX 65DS, stainless steel panel / Ref. No. 9105306548

TRAVEL IN COMPLETE COMFORT AND CONVENIENCE

We want you to travel in complete comfort and convenience. This is the idea behind our Hygiene & Sanitation range. It provides you with well engineered sanitation solutions and practical, easy-to-use hygiene accessories for undiminished holiday enjoyment.

DOMETIC POWERCARE TABS

Highly-effective additive for the waste holding tank. Breaks down waste into liquid and prevents unpleasant odours.

- No spills
- Tabs in soluble film
- Pre-measured dosage
- Use just 1 tab per full tank
- For all leisure vehicle toilets
- Easy storage
- 16 tabs per tub



  DANGER – Causes serious eye damage.
Very toxic to aquatic life with long lasting effects.

Ref. No. 9600000125



DOMETIC GREENCARE TABS

Highly effective environmentally friendly tab for the waste holding tank. Breaks down waste into liquid and prevents unpleasant odours.

- Environmentally friendly version
- No spills
- Pre-measured dosage
- Tabs in soluble film
- For all leisure vehicle toilets
- Easy storage
- 16 tabs per tub

Ref. No. 9600000133

 WARNING – Causes serious eye irritation.



DOMETIC TANK CLEANER

Tab cleaner for the waste holding tank. Effectively removes deposits, prevents scaling and gives a pleasant odour.

- Easy and economical dosing with tabs
- Use just 1 tab per tank clean-up
- Effortless cleaning with active foam
- Gentle on the environment
- Based on detergents from renewable resources
- 10 tabs per tub

Ref. No. 9600000150

 WARNING – Causes serious eye irritation.



DOMETIC COMFORTCARE

Special, fast-soluble toilet paper for the comforts of home

- Fast soluble to prevent blockages
- 2-ply
- Extra-soft
- Facilitates waste holding tank discharging
- Content: 4 rolls

Ref. No. 9600000126



DOMETIC 972

Space-saving portable toilet with 360° pressurised flush

- Flush water tank capacity: 8.7 litres
- Holding tank capacity: 9.8 litres
- Material: ABS
- Colour: white/grey
- Dimensions (W x H x D): 333 x 317 x 387 mm
- Weight: 5.4 kg

Ref. No. 9108557679




DOMETIC 976

Space-saving portable toilet with 360° pressurised flush

- Flush water tank capacity: 8.7 litres
- Holding tank capacity: 18.9 litres
- Material: ABS
- Colour: white/grey
- Dimensions (W x H x D): 333 x 387 x 387 mm
- Weight: 5.9 kg

Ref. No. 9108557681



DOMETIC SANITARY RINSE

Sanitation fluid for the flush water tank. Perfect hygiene and a pleasant odour after every flush

- Improved hygiene
- A fresh smell after every flush
- Clean flush water and a clean bowl
- Suitable for plastic and ceramic toilets
- Economical dosing – 50 ml for a 7 l flush water tank

Ref. No. 9600000151



DOMETIC SANITARY RINSE SPRAY

Sanitation spray for direct application to the toilet bowl. Perfect hygiene and a pleasant odour after every application.

- Improved hygiene
- A fresh smell after every use
- Suitable for plastic and ceramic toilets
- Ideal for toilets operated on a central fresh water system
- Easy spray application before or after flushing

Ref. No. 9600000152



DOMETIC SANITATION CLEANER

Highly effective universal gel cleaner

- Power gel with good adhesive effect
- Highly effective, economical to use
- For toilets, sinks, showers, etc.
- Bio-degradable


Ref. No. 9600000134



WARNING – Causes serious eye irritation.

DOMETIC PERFECTVIEW CAM 35

PerfectView CAM 35 is an innovative camera solution that was specially conceived for FIAT Ducato X250 and X290 as well as its sister models. The vehicle-specific design gives a snug fit and facilitates installation. There's no need to drill holes into the bodywork, and no need to apply any sealant either. The camera housing is tightly sealed with a silicon gasket to keep moisture out. For perfect aesthetics, it can be painted in the colour of the vehicle.



SIMPLE UPGRADING

The compact brake light console of the CAM 35 integrates a 150° wide-angle lens for perfect close-range vision while reversing. An additional 60° lens for long-range vision when driving forward can be retrofitted with ease.

Specially for
Mercedes
Sprinter

Specially for
Fiat Ducato



DOMETIC PERFECTVIEW CAM 29BKS NAV

Colour cylinder camera, integrated in a brake light console

- Colour cylinder camera (NTSC), 1/4" CMOS
- Wide-angle lens 150° diagonal
- Fits VW Crafter and Mercedes-Benz Sprinter
- Installed in the original brake light
- Water proof equivalent to IP 68
- Housing can be painted
- Also suitable for original multimedia devices

Ref. No. 9600000108

Adapter for connection to original MB multimedia system (AUDIO 15)
RVMB1 / Ref. No. 9600000234 (for vehicles without video preparation)

DOMETIC PERFECTVIEW CAM 35 NAV

Colour cylinder camera, integrated in a brake light console

- Colour cylinder camera (NTSC), 1/4" CMOS
- Wide-angle lens with large picture angle (150° diagonal) integrated as standard
- Far view camera (60° diagonal) can be retrofitted
- For FIAT Ducato X250, X290 and its sister models
- Installed in the original brake light
- Housing can be painted
- Suitable for retrofitted multimedia devices

Ref. No. 9102000133

Far view camera for retrofitting / Ref. No. 9102000135
Video switcher for connection of CAM 35 TWIN NAV to
monitors with a single RCA video input / Ref. No. 9600005190

NAVICEIVER ATLANTIS TAILOR-MADE FOR FIAT DUCATO X290

Blends perfectly with the interior, provides on-board entertainment at its best, guides you safely to your destination: the comfort package we created for the new Fiat Ducato X290 is based on the high-end naviceiver Blaupunkt Atlantis and comes with a frame that was customised for the Ducato interior. The system can simply be operated from the steering wheel, provides a whole world of media options as well as excellent sound and reception quality. Combined with a Dometic reversing camera of your choice it will also make a perfect reversing video system.

- Design and size customised for Fiat Ducato X290 with radio preparation
- Android operating system, just like on your tablet or smart phone
- Capacitive Silk Vision display (anti-reflex)
- Prepared for DAB+ radio system
- Parrot Bluetooth hands-free kit
- Rear Seat Entertainment
- Four USB ports
- Wi-Fi (USB dongle included)
- Adjusted installation angle minimises reflection from roof lights, windshields and side windows
- Excellent audio and reception quality



BLAUPUNKT ATLANTIS

Vehicle specific multimedia navigation with 6.8" Silk Vision TFT display

- High-gloss frame – blends perfectly with the Fiat Ducato dashboard
- Menu guidance adapted to the dashboard light colour of the Fiat Ducato
- Plug 'n play solution including steering wheel remote control
- Maps for 44 European countries
- 12 months of free map updates
- Prepared for compatible DAB+ receivers
- Infrared remote control included

With truck / RV software / Ref. No. 9600000636

With car software / Ref. No. 9600000635

Accessory / DAB + receiver incl. antenna / Ref. No. 9600000322

PALM BEACH DAB NAVICEIVER MULTIMEDIA NAVIGATION AT ITS BEST

The new Palm Beach DAB naviceiver gives you all you expect from a contemporary multimedia navigation device: a DAB+ tuner for the reception of digital radio programmes, an excellent sound quality, and a Bluetooth hands-free kit. Plus, a DVD player that supports all common video and audio formats.


You can easily upgrade the system with a Dometic reversing camera to get an all-in solution for convenient navigation and safe manoeuvring.

- Palm Beach DAB Naviceiver – ideal for combination with a Dometic reversing camera
- Integrated DAB+ tuner for digital radio reception
- Parametric 10-band equalizer for excellent sound quality
- Capacitive Silk Vision display (anti-reflex)
- Excellent Bluetooth audio transmission (HFP, A2DP, PBAP, AVRCP)
- Integrated hands-free kit with access to telephone directory



OPERATION

- Well proven, clearly structured operator guidance
- Infrared remote control included



NAVIGATION

- Latest navigation software
- Optionally available for cars or for larger motorhomes, depending on the camera configuration
- 12 months of free map updates included



Integrated
DAB+
tuner!

NEW! BLAUPUNKT PALM BEACH

Naviceiver with 6.2" touch screen TFT display, integrated multimedia options and hands-free kit with access to your telephone directory.

- 2 DIN multimedia naviceiver with 6.2" touch screen TFT display
- Integrated DAB+ tuner and high-end tuner FM, WM, LW with excellent reception
- Incl. DAB+ antenna

With truck / RV software

Ref. No. 9600007243

With car software

Ref. No. 9600007242



Can be combined with all Dometic cameras.

Please note that cameras are not included in the scope of delivery, but have to be ordered separately.

MONICEIVER PERFECTVIEW MC 402 UPGRADABLE MULTIMEDIA SOLUTION

This inexpensive moniceiver offers well proven Dometic quality. It combines the functions of a car radio with those of a DVD / VCD / DivX®/CD / MP3 / WMA player. Upgraded with a reversing camera it will also make manoeuvring safer. When reverse gear is engaged, the display shows the situation around the vehicle.

- Moniceiver MC 402 – ideal entry level model for onboard entertainment
- Fits dual DIN slot
- Can be used stand-alone or with a reversing camera
- Bluetooth 2.0 / smart phone compatible
- Integrated hands-free kit with access to telephone directory



OPERATION

- Well proven, clearly structured operator guidance
- Infrared remote control included



RADIO AND SOUND

- Radio reception at its best with the latest high-end Blaupunkt tuner generation
- Parametric equaliser
- Powerful amplifier with 4 x 45 watts max. output



DOMETIC PERFECTVIEW MC 402

2 DIN moniceiver with 6.2" monitor

For more than just listening to music on the move, this versatile multi media player with 6.2" touchscreen display combines entertainment functions, from radio to MP3 and DVD player. It can even be combined with a reversing camera to be used as a parking aid. From music to movies, your one-stop entertainment mix.

- With 6.2" screen
- Videos and music
- Bluetooth and smart phone compatible

Ref. No. 9600000350

DAB+ tuner box / Ref. No. 9600001568



Can be combined with all Dometic cameras.

Please note that cameras are not included in the scope of delivery, but have to be ordered separately.

EASY INSTALLATION – WITHOUT DRILLING EXTRA HOLES

The CAM 35 represents an innovative way of designing a vehicle-specific twin camera. Thanks to the use of the original brake light and its screw fastening system, the camera console can be installed with ease, and without the need to drill a single hole. It fits all standard roof Fiat Ducato models built from 2006 as well as the corresponding sister models.

The camera console comes standard with an integrated 150° wide-angle lens for perfect close-range vision while reversing. An additional 60° lens for long-range vision when driving forward can be retrofitted as required.



DOMETIC PERFECTVIEW RVS 535

Reversing video system with digital 5" LCD monitor and colour cylinder camera in a brake light console

- 5" monitor M 55L
- Colour cylinder camera incl. brake light console CAM 29BKS
- Operating voltage 11 to 30 V DC
- 20 m connection cable
- Monitor cable set
- Installation fittings for all components
- Three camera inputs (one with trailer cam detection)
- Fits VW Crafter and Mercedes-Benz Sprinter

Ref. No. 9600000078



DOMETIC PERFECTVIEW RVS 536

Reversing video system with digital 5" LCD monitor and colour cylinder camera in a brake light console

- 5" monitor M 55L
- Colour cylinder camera incl. brake light console CAM 35
- Operating voltage 11 to 30 V DC
- 10 m connection cable
- Monitor cable set
- Installation fittings for all components
- For FIAT Ducato X250, X290 (and its sister models)

Ref. No. 9600000561

Optional extra:

Additional far view camera / Ref. No. 9102000135



ALARM SYSTEM FOR FIAT DUCATO X290

Are you the proud owner of a Fiat Ducato X290? Then it's quick and easy for you to secure your motorhome all around. The digital alarm system Dometic MS 680 was specially designed for the new vehicle model. It is simply connected to the OBD II contact of the Fiat Ducato with the vehicle-specific cable harness included in the set and uses the CAN bus system to access all basic functions such as the door switch, the ignition, the trunk switch, etc. Additionally, you can connect an infrared movement sensor or a radio magnetic switch

– a total of up to 55 sensors are possible. You conveniently control the alarm functions via the original remote control. An extra remote for deactivating the surveillance of the passenger compartment is included in the delivery kit.



DOMETIC MAGICSAFE MS 680

Plug-and-play CAN bus alarm system for Fiat Ducato X290

- Operating voltage: 12 V
- Easy connection to the OBD II contact
- Ultrasonic sensors for the passenger compartment
- Remote control for deactivating the passenger compartment sensors
- Backup siren
- Electronic key for emergency switch-off
- Up to 55 sensors can be learned in (e.g. movement sensor, radio switch)

Ref. No. 9600000374

Optional extras

Radio movement sensor / Ref. No. 9600000376

Radio magnetic contact switch / Ref. No. 9600000377



PARKING AIDS FOR REAR AND FRONT

Parking spaces are always tight, and hardly any vehicle is really easy to park. It's even worse when someone beeps at you from behind ... Luckily, there are such things as parking aids. They assist you in tricky situations and prevent those annoying bumps and scrapes. If your vehicle has no original parking aid, you can easily have one

retrofitted. For panel vans and vans, the Dometic range gives you a choice of four well-proven systems – parking aids for the rear or front, all featuring extremely small sensors that are easy to fit. The whole package including the installation will cost you far less than the vehicle manufacturer's retrofit solutions.



DOMETIC MAGICWATCH MWE 9004



Rear parking aid for cars,
4 built-in sensors for vehicles up to 2.20 m wide

- Distance measurement with 4 ultrasonic sensors
- Acoustic (and, optionally, visual) warning function
- Neat installation, looks like an original parking aid
- For vehicles with 12-volt or 24-volt power supply

Ref. No. 9600000362

Optional extra

- Display for visual distance indication (12 volts) / Ref. No. 9600000364
- LED display / Ref. No. 9600000366
- Punching tool for 18 mm sensors / Ref. No. 9600000430
- Punching tool for 22 mm sensors with 10° mount / Ref. No. 9600000431

BETTER SAFE




DOMETIC MAGICWATCH MWE 820

Rear parking aid for cars,
4 built-in sensors for vehicles up to 2.20 m wide

- Distance measurement with 4 ultrasonic sensors
- Activation of the system via reverse gear
- Audible warning function
- Power supply with 12 volts and 24 volts

Ref. No. 9600000353



DOMETIC MAGICWATCH MWE 860

Rear parking aid for cars,
4 built-in sensors with display for vehicles up to 2.20 m wide

- Distance measurement with 4 ultrasonic sensors
- Activation of the system via reverse gear
- Audible and visual warning function
- Power supply with 12 volts and 24 volts
- LED indicated display

Ref. No. 9600000354



DOMETIC MAGICWATCH MWE 890

Parking aid for use in the **front** car bumper

- Distance measurement with 4 ultrasonic sensors
- No need to switch it on: system is activated by the speed signal
- Self diagnosis with error indication
- Acoustic (and, optionally, visual) warning function
- Optimal detection of obstacles in the close range
- For all vehicles with 12 to 27 volts power supply

Ref. No. 9600000355

Front
bumper



OPTIONAL EXTRAS FOR MWE 890

LED display / Ref. No. 9600000365

External switch / Ref. No. 9600000433

Punching tool for 22 mm sensors with 10° mount / Ref. No. 9600000431

AUSTRALIA

DOMETIC AUSTRALIA PTY. LTD.

1 John Duncan Court
Varsity Lakes QLD 4227
Tel +61 7 55076000
Fax +61 7 55076001
Mail sales@dometic-waeco.com.au

AUSTRIA

DOMETIC AUSTRIA GMBH

Neudorferstrasse 108
A-2353 Guntramsdorf
Tel +43 2236 908070
Fax +43 2236 90807060
Mail info@dometic.at

BELGIUM

DOMETIC BRANCH OFFICE BELGIUM

Lourdesstraat 84
B- 8490 Geluwe
Tel +32 2 3598040
Fax +32 2 3598050
Mail info@dometic.be

BRAZIL

DOMETIC DO BRASIL LTDA

Avenida Paulista 1754, conj. 111
SP 01310-920 Sao Paulo
Tel +55 11 3251 3352
Tel +55 11 3251 3362
Mail info@dometic.com.br

DENMARK

DOMETIC DENMARK A/S

Nordensvej 15, Taulov
DK-7000 Fredericia
Tel +45 75585966
Fax +45 75586307
Mail info@dometic.dk

FINLAND

DOMETIC FINLAND OY

Mestarintie 4
FIN-01730 Vantaa
Tel +358 20 7413220
Mail info@dometic.fi

FRANCE

DOMETIC SAS

ZA du Pré de la Dame Jeanne
B.P. 5
F-60128 Plailly
Tel +33 3 44633525
Fax +33 3 44633518
Mail vehiculesdeloisirs@dometic.fr

GERMANY

DOMETIC WAECO INTERNATIONAL GMBH

Hollefeldstraße 63
D-48282 Emsdetten
Tel +49 (0) 2572 879-0
Fax +49 (0) 2572 879-300
Mail info@dometic-waeco.de

HONG KONG

DOMETIC GROUP ASIA PACIFIC

Suites 2207-11, 22/F, Tower 1
The Gateway, 25 Canton Road
Tsim Sha Tsui, Kowloon
Tel +852 2 4611386
Fax +852 2 4665553
Mail info@waeco.com.hk

HUNGARY

DOMETIC ZRT. SALES OFFICE

H-1147 Budapest
Kerekgyártó u. 5.
Tel +36 1 468 4400
Fax +36 1 468 4401
Mail budapest@dometic.hu

ITALY

DOMETIC ITALY S.R.L.

Via Virgilio, 3
I-47122 Forlì (FC)
Tel +39 0543 754901
Fax +39 0543 754983
Mail vendite@dometic.it

JAPAN

DOMETIC KK

Maekawa-Shibaura, Bldg. 2
2-13-9 Shibaura Minato-ku
Tokyo 108-0023
Tel +81 3 5445 3333
Fax +81 3 5445 3339
Mail info@dometic.jp

MEXICO

DOMETIC MX, S. DE R. L. DE C. V.

Circuito Médicos No. 6 Local 1
Colonia Ciudad Satélite
CP 53100 Naucalpan de Juárez
Estado de México
Tel +52 55 5374 4108
Fax +52 55 5393 4683
Mail info@dometic.com.mx

NETHERLANDS

DOMETIC BENELUX B.V.

Ecustraet 3
NL-4879 NP Etten-Leur
Tel +31 76 5029000
Fax +31 76 5029019
Mail info@dometic.nl

NEW ZEALAND

DOMETIC NEW ZEALAND LTD.

PO Box 12011
Penrose
Auckland 1642
Tel +64 9 622 1490
Fax +64 9 622 1573
Mail customerservices@dometic.co.nz

NORWAY

DOMETIC NORWAY AS

Østerøyveien 46
N-3236 Sandefjord
Tel +47 33428450
Fax +47 33428459
Mail firmapost@dometic.no

POLAND

DOMETIC POLAND SP. Z O.O

ul. Puławska 435A
PL-02-801 Warszawa
Tel +48 22 414 3200
Fax +48 22 414 3201
Mail info@dometic.pl

PORTUGAL

DOMETIC SPAIN, S.L.

Branch Office em Portugal
Rot. de São Gonçalo nº 1- Esc. 12
2775-399 Carcavelos
Tel +351 219 244 173
Fax +351 219 243 206
Mail info@dometic.pt

RUSSIA

DOMETIC RUS LLC

Komsomolskaya square 6-1
RU-107140 Moscow
Tel +7 495 780 79 39
Fax +7 495 916 56 53
Mail info@dometic.ru

SINGAPORE

DOMETIC PTE LTD

18 Boon Lay Way
06-141 Trade Hub 21
Singapore 609966
Tel +65 6795 3177
Fax +65 6862 6620
Mail dometic@dometic.com.sg

SLOVAKIA & CZECH REPUBLIC

DOMETIC SLOVAKIA S.R.O.

Sales Office Bratislava
Nádražná 34/A
900 28 Ivanka pri Dunaji
Tel +421 2 45 529 680
Fax +421 2 45 529 680
Mail bratislava@dometic.com

SOUTH AFRICA

DOMETIC (PTY) LTD.

Regional Office South Africa &
Sub-Saharan Africa
2 Avalon Road, West Lake View
Ext 11, Modderfontein 1645
Tel +27 87 3530380
Mail info@dometic.co.za

SPAIN

DOMETIC SPAIN S.L.

Avda. Sierra del Guadarrama, 16
E-28691 Villanueva de la Cañada
Madrid
Tel +34 91 833 6089
Fax +34 900 100 245
Mail info@dometic.es

SWEDEN

DOMETIC SCANDINAVIA AB

Gustaf Melins gata 7
SE-421 31 Västra Frölunda
Tel +46 31 7341100
Fax +46 31 7341101
Mail info@dometicgroup.se

SWITZERLAND

DOMETIC SWITZERLAND AG

Riedackerstrasse 7a
CH-8153 Rümlang
Tel +41 44 8187171
Fax +41 44 8187191
Mail info@dometic.ch

UNITED ARAB EMIRATES

DOMETIC MIDDLE EAST FZCO

P.O. Box 17860
S-D 6, Jebel Ali Freezone
Dubai
Tel +971 4 883 3858
Fax +971 4 883 3868
Mail info@dometic.ae

UNITED KINGDOM

DOMETIC UK LTD.

Dometic House, The Brewery,
Blandford St. Mary
Dorset DT11 9LS
Tel +44 344 626 0133
Fax +44 344 626 0143
Mail sales@dometic.co.uk

USA

DOMETIC RV DIVISION

1120 North Main Street
Elkhart, IN 46515
Tel +1 574-264-2131